

The Ribbon Soap Dispenser

TSL.RO11

Fully compatible with the The Splash Lab Soap Refill System, the automatic foaming nozzle reliably produces a precise dose of soap every time. The system is easily maintained, with the foaming nozzle simple and quick to replace.

Finish	Codes	LRV*
Satin	TSL.RO11.CS	58
Black	TSL.RO11.BK	3
Brass	TSL.RO11.BR	40
Copper	TSL.RO11.CP	19
Bronze	TSL.RO11.BZ	17
Chrome	TSL.RO11.C	75

^{*}Light reflectance value













REV 2025 29-Aug UK: +44 (0) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com All things considered.

Technical Data

Weight	1.5kg	
Recommended soap viscocity	Foam soap - <10cPs. Not suitable for alcohol gels or hand sanitizers.	
Stainless steel grade	304 Stainless steel	
Sensor range preset	70±15mm (Not adjustable)	
Power supply - Mains	Input: 100-240V ac; 50/60Hz Output: 6V DC; 1.5A, 9W max	
Power supply - Battery	6V Type AA x 4 pcs Alkaline (not included) (Optional)	
Standby power	9mA	
Warranty	One year limited warranty	
Recommended soap system	The Splash Lab automatic soap feed system	

Installation requirments

Countertop Cut-out size	Ø32mm	
Maximum Countertop thickness	35mm	
Anti-rotation collar	Included	
Reflective surfaces	Not to be installed above highly polished basins	
Access requirements	Pumps and transformers must be accessible at all times for servicing	
Cabling	Low voltage push fit connector to soap dispenser	
Power supply	Hard wired connection to mains branch circuit, It is recommended that the sensors are installed on their own circuit	

Compliance & certificates

CE	
RoHS	
UKCA	

REV 2025 29-Aug UK: +44 (0) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com All things considered.

Included

The Ribbon Soap Dispenser TSL.RO11

Dispenser head assembly

Anti-rotation collar (already installed)

Gasket

Anti-rotation washer

Fixing nut


Soap foaming pipe

Soap reservoir - 1500ml

Hex wrench / soap outlet

Soap foamer pumpkit

Power supply unit



Warranty & Spare parts

For warranty terms and conditions please visit www.thesplashlab.com

If additional spare parts are required and are not listed below, please contact us at info.uk@thesplashlab.com

Related products



Radius Auspex Tap 220mm TSL.894



The Ribbon Hand Dryer TSL.RO31



The Ribbon Sensor Tap 2.0 TSL.RO21

REV 2025 29-Aug UK: +44 (0) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com All things considered.