






The Ribbon Sensor Tap 2.0

TSL.R021

Deck mounted sensor operated tap with robust body construction for all types of projects. To be used in conjunction with the Ribbon dryer and soap dispenser for optimum efficiency.

Finish	Codes	LRV*
● Black	TSL.R021.BK	3
● Brass	TSL.R021.BR	40
● Satin	TSL.R021.CS	58
● Bronze	TSL.R021.BZ	17
● Copper	TSL.R021.CP	19
● Chrome	TSL.R021.C	75

Light Reflectance Value*



Technical Data

Minimum operating pressure	7-87 psi dynamic pressure
Flow rate	1.9 litres/minute (Other flow rates available upon request)
Weight	1.2kg
Stainless steel grade	304 Stainless steel
Sensor range	Preset 120±20mm (adjustable). Min range 50mm - Max range 150mm
Comfort delay	2 seconds
Security cut-off	60 seconds
Power supply - mains	Input: 100-240V ac; 50/60Hz Output: 6V DC; 0.5A,3W max

Installation requirements

Counter-top cut-out (dia)	Ø32mm
Maximum countertop thickness	35mm
Anti-rotation collar	Included
Reflective surfaces	Not to be installed above highly polished basins, or waste outlets
Access requirements	Solenoids and transformers must be accessible at all times for servicing
Cabling	Low voltage push fit connector to tap
Power supply	For the mains power option, it is recommended that the sensors are installed on their own circuit to avoid interference from other power demands.

Compliance & certificates

ASME A112.18.1

CSA B125.1

NSF/ANSI/CAN 61

WRAS

CE

UKCA

RoHS

LEED

BREEAM


Included

- _____ The Ribbon Sensor Tap 2.0
- _____ Ribbon sensor faucet head
- _____ Mains power supply
- _____ Solenoid valve
- _____ Anti-rotation plate #1
- _____ Counter top gasket
- _____ Anti-rotation plate #2
- _____ Fixing nut
- _____ Flow restrictor
- _____ Flex hose - 300mm

Warranty

3 years parts and 1 year labour
(from date of purchase)

+ Technical drawing



Spare parts

For warranty terms and conditions please visit www.thesplashlab.com

If additional spare parts are required and are not listed above, please contact us at info.uk@thesplashlab.com

Part	Codes
Solenoid Valve	TSLP120030
Slim Aerator	TSLP.230164

Related products




The Ribbon Soap Dispenser
TSL.R011



The Ribbon Hand Dryer
TSL.R031



Air Fury Hand Dryer
TSL.3012



The Ribbon Basin
TSL.R.041