



Deck Mounted Soap Dispenser

TSL.410

The TSL.410 is a stainless steel deck mounted soap dispenser, with a sleek and minimalist design.

| Finish | Codes | LRV* |
|----------|------------|------|
| ● Satin | TSL.410.CS | 58 |
| ● Black | TSL.410.BK | 3 |
| ● Brass | TSL.410.BR | 40 |
| ● Copper | TSL.410.CP | 19 |
| ● Bronze | TSL.410.BZ | 17 |

*Light reflectance value




Technical Data

| | |
|-------------------------|---|
| Weight | 700g |
| Material | AISI 304 Stainless Steel |
| Pump Type | Manual piston-type |
| Standard Discharge | 1.0ml |
| Finish | Brushed |
| Recommended Soap Type | Liquid soap - <100 - 3800cPS viscosity. Not suitable for foam soaps, alcohol gels or hand sanitisers. |
| Soap Reservoir Capacity | 1 Litre (standard) 5 Litres (optional remote feed) |

Installation requirments

| | |
|------------------------------|--|
| Countertop cut-out size | Ø25mm |
| Maximum countertop thickness | 50mm |
| Access requirements | Soap reservoir must be accessible at for initial installation & commissioning and for ongoing/routine maintenance. |
| Washroom layout | Reservoir must be accessible for installation, commissioning and ongoing maintenance. |

| Included |
|--|
| Deck Mounted Soap Dispenser TSL.410 |
| 1L Soap Reservoir LFB1 |



Warranty & Spare parts

For warranty terms and conditions please visit www.thesplashlab.com
If additional spare parts are required and are not listed below, please contact us at info.uk@thesplashlab.com

Related products



Sensor Deck Mounted Soap
Dispenser
TSL.420



Radius Auspex Tap 220mm
TSL.894



Wall Mounted Manual Soap
Dispenser
TSL.470

| Additional views | |
|------------------|--------------|
| A | Setting out |
| B | Installation |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

