



Concealed Shower

TSL.SHW.001

A minimalist stainless steel shower assembly with a two-way diverter for overhead and handheld flow. Components are concealed behind the finished wall and offered in four PVD colours as well as brushed satin.

Finish	Codes	LRV*
● Satin	TSL.SHW.001.CS	58
● Black	TSL.SHW.001.BK	3
● Brass	TSL.SHW.001.BR	40
● Copper	TSL.SHW.001.CP	19
● Bronze	TSL.SHW.001.BZ	17

Light Reflectance Value*



Technical Data - Shower Head

Body Material	AISI 304 Stainless Steel
Coating Type	PVD (colours only)
Minimum Pressure	1 Bar
Maximum Pressure	10 Bar
Recommended Working Pressure	2-5 Bar
Maximum Water Temperature	70°C / 176 F
Maximum Recommended Water Temperature	65°C / 149 F
Flow Rates	12 L/min - 3 Bar 6L/min - 3 Bar

Technical Data - Handset

Body Material	AISI 304 Stainless Steel
Coating Type	PVD (colours only)
Minimum Pressure	1 Bar
Maximum Pressure	10 Bar
Recommended Working Pressure	2-5 Bar
Maximum Water Temperature	70°C / 176 F
Maximum Recommended Water Temperature	65°C / 149 F
Flow Rates	12 L/min - 3 Bar 6L/min - 3 Bar


Additional Variants

TSL.SHW.011.CS	Concealed Shower / Adjustable Handset Rail	Satin
TSL.SHW.011.BK	Concealed Shower / Adjustable Handset Rail	Black PVD
TSL.SHW.011.BR	Concealed Shower / Adjustable Handset Rail	Brass PVD
TSL.SHW.011.CP	Concealed Shower / Adjustable Handset Rail	Copper PVD
TSL.SHW.011.BZ	Concealed Shower / Adjustable Handset Rail	Bronze PVD

Key Components/Spare Parts

Concealed Shower
TSL.SHW.001

+ Technical drawing




Warranty & Spare parts

For warranty terms and conditions please visit www.thesplashlab.com

If additional spare parts are required and are not listed above, please contact us at info.uk@thesplashlab.com


Related products



Wall Mounted Manual Tap
TSL.970



Wall Mounted Manual Soap
Dispenser
TSL.470



Deck Mounted Manual Tap
TSL.950



Exposed Shower
TSL.SHW.002