

# 150mm IR Sensor Tap

TSL.884

The TSL.884 IR Sensor Tap features a sleek wall mounted spout with accompanying sensor housing and is available ina range of finishes.


Codes	LRV*
TSL.884.BK	3
TSL.884.BR	40
TSL.884.CS	58
TSL.884.BZ	17
TSL.884.CP	19
TSL.884.C	75
	TSL.884.BK TSL.884.BR TSL.884.CS TSL.884.BZ TSL.884.CP


Light Reflectance Value\*













REV 2025 15-Oct UK: +44 (0) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com All things considered.

### **Technical Data**

Technical Data	
Body material	AISI 304 Stainless steel
Coating type	PVD
Aerator	Cascade
Water pressure (dynamic)	O.5 to 7.5 Bar [O.05 to O.75MPa]
Water temperature (max)	60°C
Flow rates	3.8 litres/minute - Cascade flow 1.9 litres/minute - Spray flow
Also available	1.3 litres/minute - Spray flow
Power supply	110-230V AC, 50-60Hz (battery option available - please enquire)
Output (max)	6 Vdc, 1A
Power consumption	< 87% Active mode, O.3W No load
Solenoid valve type	6V Latching
Water ingress	IP55
Cable lengths	800mm - Power supply connection 800mm - Solenoid valve connection
Sensor type	Infrared
Pre-set sensor range	220mm
Sensor range (max)	250mm
Comfort delay	2 sec
Security time-out	30 sec
Operating temperature	O to 50°C
Response time (max)	0.3 - < 1 sec
Installation requirments	
Wall cut-out hole size	Ø16mm (Spigot) Ø40mm (Sensor Housing)
Wall Thickness (max)	50mm (incl. finishes)
Plumbing connection	1/2" BSP female connection required to solenoid valve
Power supply cable	To be hard wired in to fused connection unit (FSU) or spur
Water supply	1.0 Bar is the recommended minimum pressure for the taps to operate effectively. 7.5 Bar is the maximum pressure for commissioning and is NOT recommended for genera use. Gravity-fed systems may require a booster pump to achieve the optimal operating pressure All pipework must be thoroughly cleaned and clear of any debris before connecting the tap.
Washroom layout	Solenoid valve must be accessible for installation, commissioning and ongoing maintenance. Avoid installing the sensor tap directly opposite other sensor taps, soap dispensers, infrared devices or reflective surfaces. Careful consideration should be made when choosing the positioning of lighting and other reflective surfaces which may affect sensor performance.
Compliance certificates	
BREEAM, LEED	
WRAS	Certificate No 240202025
EMC compliance	Electromagnetic compatibility directive 2004/108/CE, and Low Voltage 2006/95/CR







REV 2025 15-Oct UK: +44 (0) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com All things considered.

#### Included

Solenoid connector cable TSLP.120032

Long range IR sensor TSLP.260045

Mains power supply 6V TSLP.270066


Solenoid valve TSLP.120030

Aerator key TSLP.260050

Aerator Cascade 3.8L/mi Aerated TSLP.260062

Aerator Cascade 1.89L/min Spray TSLP.260063

Basket filter for solenoid valve TSLP.08530015



# Warranty & Spare parts

For warranty terms and conditions please visit www.thesplashlab.com

If additional spare parts are required and are not listed below, please contact us at info.uk@thesplashlab.com

Optional Extras	Codes
Lithium battery 6V	TSLP.270030
Battery Holder	TSLP.270029
Aerator Cascade 1.35L/min Spray	TSLP.260051

### Related products



Wall Mounted Manual Soap Dispenser TSL.470



Radius Auspex Tap 220mm TSL.894




Radius Auspex Tap 150mm TSL.895


REV 2025 15-Oct UK: +44 (0) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com All things considered.

## Additional views

A Setting out

B Installation





EV 2025 15-Oct UK: +44 (O) 161 482 7000 www.thesplashlab.com/uk info.uk@thesplashlab.com **All things considered.**