

Bidet Spray


TSL.350

The TSL.350 is a stainless steel bidet spray designed for modern washrooms, offering a durable, hygienic solution with a sleek, exible hose. Available in a variety of PVD finishes, it combines functionality with a refined aesthetic to complement any bathroom style.

Finish	Codes	LRV*
● Satin	TSL.350.CS	58
● Black	TSL.350.BK	3
● Brass	TSL.350.BR	40
● Copper	TSL.350.CP	19
● Bronze	TSL.350.BZ	17

*Light reflectance value


+ Satin



+ Black



+ Brass



+ Copper



+ Bronze



Technical Data

Material	AISI 304 Stainless Steel
Coating type	PVD (colours only)
Aerator	Spray
Water pressure (dynamic)	1 to 5 bar [0.1 to 0.5MPa]
Flow rates	5.7 litres / minute - Spray Flow
Hose	1500mm - Flex metal (colour matched)
Water supply	Single feed pre-mixed required


Installation requirments

Wall cut-out hole size	Ø22mm
Maximum wall thickness	50mm (incl. nishes)
Plumbing connection	1/2" BSP female connection required to unit
Water supply	All pipework must be thoroughly cleaned and clear of any debris before connecting the tap.

Included

Bidet Spray
TSL.350

+ Technical drawing



Warranty & Spare parts

For warranty terms and conditions please visit www.thesplashlab.com
If additional spare parts are required and are not listed below, please contact us at info.uk@thesplashlab.com

Related products



Toilet Brush with Holder
TSL.323



Double Toilet Roll Holder with
Shelf
TSL.49



Deck Mounted Paper Towel
Dispenser
TSL.745

Additional views

A	Setting out
B	Installation

