

# The Nano

TSL.N6

The Nano is a small and compact, wall mounted basin crafted from solid-surface. Available in a wide range of colours. The Nano Basin is well suited to any washroom.

+ ONE USER BASIN



*TSL.990 sensor tap not included*

**Technical Data**

Warranty	10 years from date of purchase (terms and conditions apply)
Material	Solid surface
Support Brackets	Powder-coated steel - Refer to Installation manual for spacing and setting out
Finishes	See reference to supplier materials - Hi Macs, Corian

**Installation requirements**

Wall construction	Brackets included. Installer should ascertain that suitable wall substrate is present to allow for the correct support for the Nano Basin.
Tap holes	Available with or without tap holes
Fixed height	800mm to 900mm from finished floor
Wall Fixings	Must be fixed to a suitable substrate. The Splash Lab recommends that installers contact a fixing specialist for advice to ensure the correct fixings are used for the location. Wall fixings are not included.
Plumbing	Connection to 1 ¼" waste outlet required. (one connection per user) Installer to provide water for taps. See separate datasheet for The Splash Lab sensor taps.
Access requirements	When installed with a sensor operated tap, the solenoid and isolation valves must be accessible for initial installation & commissioning and for ongoing and routine maintenance


### Included

- 1 x Monolith basin
- 2 x Mounting bracket
- 1 x Drainage funnel
- 1 x Drainage funnel gasket
- 4 x Drainage funnel fixings (M6 x 12 screw and washer)
- 2 x Mounting bolts (M6 x 35)
- 2 x Fixing nuts
- 4 x Washers (M6)

### Warranty

10 years on solid surface

### + Technical drawing



### Related Products



Adjustable Bottle Trap  
TSL.650



150mm IR Sensor Tap  
TSL.884



Sensor Deck Mounted Tap / Small  
TSL.990