

# Sensor Deck Mounted Soap Dispenser

TSL.420

The TSL.420 is a stainless steel deck mounted soap dispenser, available in a variety of colored finishes, with a sleek minimalist design.

Finish	Codes	LRV*
<ul><li>Satin</li></ul>	TSL.420.CS	58
Black	TSL.420.BK	3
<ul><li>Brass</li></ul>	TSL.420.BR	40
<ul><li>Copper</li></ul>	TSL.420.CP	19
Chrome	TSL.420.C	75

Light Reflectance Value\*











Revised 05/24 USA: +1 310 410 5008 www.thesplashlab.com info.usa@thesplashlab.com All things considered.

## **Technical Data**

Weight	2.20 lbs	
Material	AISI 304 Stainless Steel	
Power supply	110V - 230V ac; 50/60Hz	
Output	1000mA	
Standby power	O.1W	
Standard discharge	0.0003 gal	
Coating type	PVD (colors only)	
Max hot water temperature	140° F	
Recommended soap type	Foam soap - <10cPS viscosity. Not suitable for liquid soaps, alcohol gels or hand sanitizers	
Soap reservoir capacity	O.26 gal (standard) 1.32 gal (optional remote feed)	
Sensor range	Preset 2 3/4" (adjustable using separate controller if required)  Max range 1"-3 3/4"  Min range 2 3/8"	
Sensor type	Infrared	
Response time (max)	< 300ms	
Security cut-off time	30 seconds	
Cable lengths	Connection to sensor cable - tbc Connection to fused supply - tbc	

## Installation requirements

Countertop cut-out size	ø 1" 2"	
Maximum countertop thickness		
Access requirements	Power supply and pump units must be accessible for installation, commissioning, and ongoing maintenance	
Washroom layout	Soap pump and reservoir must be accessible for installation, commissioning and ongoing maintenance	
Power supply	3amp fused spur to be connected to IP68 transformer supplied; low voltage push fit connector to dispenser. It is not recommended that sensor-operated soap dispense are connected to an occupancy circuit.	

# Compliance & Certificates

CE	PSU conforms to RoHS, REACH, EN15091	
CE	F 30 CONIONIS to NOTS, NEACH, EN13031	

Revised 05/24 USA: +1 310 410 5008 www.thesplashlab.com info.usa@thesplashlab.com All things considered.

#### **Key Components**

Sensor L260013

Y-Shaped Tubing L270053


Foam Pump TSL.AUTOSOAPFOAMER

Soap Container LSTB

Jerry Can LB1L

## Warranty

1 year parts and labor



### Spare parts

For warranty terms and conditions please visit www.thesplashlab.com

If additional spare parts are required and are not listed above, please contact us at info.usa@thesplashlab.com

#### Related products



Sensor Deck Mounted Faucet - Small

TSL.990



Sensor Deck Mounted Faucet - Large

TSL.960



Manual Deck Mounted Soap Dispenser

TSL.410

Revised 05/24 USA: +1 310 410 5008 www.thesplashlab.com info.usa@thesplashlab.com All things considered.